

WESTERN RAIL YARD MODIFICATIONS

DRAFT ENVIRONMENTAL IMPACT STATEMENT (DEIS)



CEQR No.: 24DCP091M

ULURP Nos.: 250098ZRM
250099ZSM
250100LDM
250024MMM

Lead Agency:
City Planning Commission,
City of New York
Dan Garodnick, Chair

Prepared By:

akrf

NOVEMBER 1, 2024

**Western Rail Yards Modifications
DRAFT ENVIRONMENTAL IMPACT STATEMENT (DEIS)**

November 1, 2024

CEQR No.:	24DCP091M
ULURP Nos.:	250098ZRM 250099ZSM 250100LDM 250024MMM
Type of Action:	Type I
Project Location:	Manhattan, New York Community District 4
Lead Agency:	City Planning Commission, City of New York Dan Garodnick, Chair
Lead Agency Contact:	Stephanie Shellooe, Director Environmental Assessment and Review Division New York City Department of City Planning 120 Broadway, 31st Floor New York, NY 10271-3100
Project Applicant:	WRY Tenant LLC
Prepared by:	AKRF, Inc.

A public hearing on the Draft Environmental Impact Statement (DEIS) will be held at a later date to be announced. Advance notice will be given of the time and place of the hearing. Written comments on the DEIS are requested and will be received and considered by the Lead Agency until the 10th calendar day following the close of the public hearing.

The DEIS is available on the website of the New York City Department of City Planning via the Western Rail Yard Modifications project page on the Zoning Application Portal (ZAP): <https://zap.planning.nyc.gov/projects/2024M0108>

To view the Western Rail Yard Modifications DEIS, navigate to the project page in ZAP and select Public Documents, then "DEIS_24DCP091M."

Table of Contents

Executive Summary	S-1
1: Project Description	1-1
A. Introduction	1-1
B. Project Background.....	1-2
C. Description of the Development Site, Affected Area, and Surrounding Area ...	1-3
Development Site	1-3
Affected Area	1-3
Surrounding Area.....	1-3
D. Description of the Proposed Project.....	1-5
E. Description of Alternative Scenario	1-6
F. Purpose and Need of the Proposed Actions.....	1-8
G. Discretionary and Other Approvals	1-8
Restrictive Declaration	1-10
H. Analysis Framework for Environmental Review	1-10
Build Year	1-10
No Action Condition	1-11
With Action Condition.....	1-12
I. Environmental Review Process.....	1-14
CEQR Overview	1-14
2: Land Use, Zoning, and Public Policy	2-1
A. Introduction	2-1
B. Principal Conclusions.....	2-1
C. Methodology	2-2
Study Areas	2-2
D. Existing Conditions	2-3
Land Use	2-3
Zoning.....	2-7
Public Policy	2-12
E. Future Without the Proposed Actions.....	2-16
Land Use	2-16
Zoning and Public Policy.....	2-18
F. Future With the Proposed Actions.....	2-18
Proposed Project	2-18
Alternative Scenario.....	2-28
3: Socioeconomic Conditions	3-1
A. Introduction	3-1
Principal Conclusions.....	3-1

Western Rail Yard Modifications

B. Methodology	3-2
Determining Whether A Socioeconomic Assessment Is Appropriate	3-3
Analysis Format	3-5
Study Area	3-6
Data	3-6
C. Preliminary Assessment	3-6
Indirect Business Displacement	3-6
Adverse Effects On Specific Industries	3-11
4: Community Facilities and Services	4-1
A. Introduction	4-1
Principal Conclusions	4-1
B. Preliminary Screening	4-2
Direct Effects	4-2
Indirect Effects	4-2
C. Public Schools and Early Childhood Programming	4-3
D. Health Care Facilities	4-4
Methodology	4-4
Existing Conditions	4-5
E. Police and Fire Services	4-5
Methodology	4-5
Existing Conditions	4-5
5: Open Space	5-1
A. Introduction	5-1
Principal Conclusions	5-2
B. Methodology	5-4
Direct Effects	5-4
Indirect Effects	5-4
C. Existing Conditions	5-7
Study Area Population	5-7
Open Space Inventory	5-8
Assessment of Open Space Adequacy	5-10
D. Future Without the Proposed Actions	5-12
Direct Effects	5-12
Indirect Effects	5-13
E. Future With the Proposed Actions	5-14
Direct Effects	5-14
Indirect Effects	5-17
6: Shadows	6-1
A. Introduction	6-1
Principal Conclusions	6-1
B. Definitions and Methodology	6-2
Definitions	6-2
Methodology	6-3
C. Preliminary Screening Assessment	6-4
Tier 1 Screening Assessment	6-4

Tier 2 Screening Assessment	6-6
Tier 3 Screening Assessment	6-7
D. Detailed Shadow Analysis.....	6-9
Determination of Impact Significance	6-10
Summary of Analysis Results	6-11
Assessment of Shadow Impacts By Resource	6-14
Project-Generated Open Space	6-23
E. Conclusions	6-24
7: Historic and Cultural Resources	7-1
A. Introduction	7-1
Principal Conclusions.....	7-1
B. Methodology	7-3
C. Existing Conditions	7-4
Development Site and Affected Area	7-4
Study Area	7-6
D. Future Without the Proposed Actions.....	7-8
E. Future With the Proposed Actions.....	7-10
Development Site and Affected Area	7-10
Study Area	7-11
8: Urban Design and Visual Resources	8-1
A. Introduction	8-1
Principal Conclusions.....	8-1
B. Methodology	8-4
Detailed Analysis	8-4
C. Existing Conditions	8-6
Development Site and Affected Area	8-6
Study Area	8-9
D. Future Without the Proposed Actions.....	8-19
Development Site and Affected Area	8-19
Study Area	8-22
E. Future With the Proposed Actions.....	8-22
Development Site and Affected Area	8-22
Study Area	8-28
9: Natural Resources.....	9-1
A. Introduction	9-1
Principal Conclusions.....	9-1
B. Regulatory Context and Methodology	9-2
Methodology	9-2
Federal Regulations.....	9-4
New York State Regulations	9-5
New York City Regulations	9-6
C. Existing Conditions	9-6
Floodplains	9-6
Wetlands.....	9-6
Groundwater	9-7

Western Rail Yard Modifications

Terrestrial Resources.....	9-7
Threatened, Endangered, and Special Concern Species	9-9
Aquatic Resources.....	9-11
Significant Coastal Fish and Wildlife Habitat	9-14
D. Future Without the Proposed Actions.....	9-15
Floodplains	9-15
Wetlands.....	9-15
Groundwater	9-16
Terrestrial Resources.....	9-16
Threatened, Endangered, and Special Concern Species	9-17
Aquatic Resources.....	9-17
E. Future With the Proposed Actions.....	9-17
Floodplains	9-17
Wetlands.....	9-18
Groundwater	9-19
Terrestrial Resources.....	9-20
Threatened, Endangered, and Special Concern Species	9-21
Aquatic Resources.....	9-23
10: Hazardous Materials.....	10-1
A. Introduction	10-1
Principal Conclusions.....	10-1
B. Methodology	10-2
C. Existing Conditions	10-2
Potential Contaminants of Concern.....	10-2
Subsurface Conditions	10-4
Hazardous Materials Assessment.....	10-5
D. Future Without the Proposed Actions.....	10-8
E. Future With the Proposed Actions.....	10-8
11: Water and Sewer Infrastructure.....	11-1
A. Introduction	11-1
Principal Conclusions.....	11-1
B. Methodology	11-3
C. Existing Conditions	11-4
Water Supply System	11-4
Sewer System and Wastewater Treatment	11-4
Water Consumption	11-5
Sanitary Flows	11-6
Stormwater Flows	11-6
D. Future Without the Proposed Actions.....	11-8
Water Supply	11-9
Sewer System and Wastewater Treatment	11-10
Stormwater Flows	11-10
E. Future With the Proposed Actions.....	11-11
Water Supply	11-12
Sewer System and Wastewater Treatment	11-13
Stormwater Flows	11-14

12: Solid Waste	12-1
A. Introduction	12-1
Principal Conclusions	12-1
B. Methodology	12-2
C. Existing Conditions	12-2
Solid Waste Generation On the Development Site	12-4
D. Future Without the Proposed Actions	12-5
E. Future With the Proposed Actions	12-5
Proposed Project	12-5
Alternative Scenario	12-6
13: Energy	13-1
A. Introduction	13-1
Principal Conclusions	13-2
B. Methodology	13-2
C. Existing Conditions	13-3
Energy Generation	13-3
Existing Energy Consumption on the Development Site	13-4
D. Future Without the Proposed Actions	13-5
E. Future With the Proposed Actions	13-5
14: Transportation	14-1
A. Introduction	14-1
Principal Conclusions	14-3
B. Preliminary Analysis Methodology and Screening Assessment	14-8
Project Background	14-8
Transportation Planning Assumptions and Trip Generation	14-9
Level 1 Screening Assessment	14-17
Level 2 Screening Assessment	14-33
C. Transportation Analysis Methodologies	14-53
Traffic Operations	14-53
Transit Operations	14-55
Pedestrian Operations	14-57
Street User Safety Assessment	14-60
Parking Conditions Assessment	14-61
D. Detailed Traffic Analysis	14-61
Existing Conditions	14-61
Future Without the Proposed Actions	14-65
Future With the Proposed Project	14-71
Future With the Alternative Scenario	14-74
E. Detailed Transit Analysis	14-77
Existing Conditions	14-77
Future Without the Proposed Actions	14-79
Future With the Proposed Project	14-81
Future With the Alternative Scenario	14-84
F. Detailed Pedestrian Analysis	14-87
Existing Conditions	14-87
Future Without the Proposed Actions	14-89

Western Rail Yard Modifications

Future With the Proposed Project	14-91
Future With the Alternative Scenario	14-94
G. Street User Safety	14-97
High Crash Locations	14-99
H. Parking Assessment	14-111
Existing Conditions	14-111
Future Without the Proposed Actions	14-113
Future With the Proposed Project	14-114
Future With the Alternative Scenario	14-115
15: Air Quality	15-1
A. Introduction	15-1
Principal Conclusions	15-2
B. Pollutants for Analysis	15-3
Carbon Monoxide	15-3
Nitrogen Oxides, Vocs, and Ozone	15-4
Lead	15-5
Respirable Particulate Matter—PM ₁₀ and PM _{2.5}	15-5
Sulfur Dioxide	15-5
C. Air Quality Regulations, Standards, and Benchmarks	15-6
National and State Air Quality Standards	15-6
NAAQS Attainment Status and State Implementation Plans	15-7
Determining the Significance of Air Quality Impacts	15-9
D. Methodology for Predicting Pollutant Concentrations	15-10
Mobile Sources	15-10
Stationary Sources	15-16
E. Existing Conditions	15-26
F. Future Without the Proposed Actions	15-26
Mobile Sources	15-26
Stationary Sources	15-27
G. Future With the Proposed Actions	15-27
Mobile Sources	15-27
Stationary Sources	15-32
H. Proposed Air Quality Requirements in Amended Restrictive Declaration	15-35
Development Site (Block 676, Lots 1 and 5)	15-36
16: Greenhouse Gas Emissions and Climate Change	16-1
A. Introduction	16-1
Principal Conclusions	16-1
B. Methodology	16-3
Regional GHG Emissions	16-3
C. Greenhouse Gas Emissions	16-4
Pollutants of Concern	16-4
Policy, Regulations, Standards, and Benchmarks for Reducing GHG Emissions	16-5
Methodology	16-9
Projected GHG Emissions	16-12
Elements That Would Reduce GHG Emissions	16-14

D.	Resilience to Climate Change	16-17
	Development of Policy to Improve Climate Change Resilience	16-17
	Resilience of the Proposed Project and Alternative Scenario to Climate Change	16-20
17:	Noise	17-1
A.	Introduction	17-1
	Principal Conclusions.....	17-1
B.	Acoustical Fundamentals	17-2
	“A”-Weighted Sound Level (dBA)	17-2
	Noise Descriptors Used in Impact Assessment.....	17-3
C.	Noise Standards and Criteria	17-4
	New York <i>CEQR Technical Manual</i> Noise Standards	17-4
	Impact Significance Criteria	17-5
D.	Existing Conditions	17-5
	Selection of Noise Receptor Locations.....	17-5
	Noise Monitoring.....	17-6
	Existing Noise Levels At Noise Receptor Locations	17-7
E.	Noise Analysis Methodology	17-8
	General Methodology.....	17-8
	Proportional Modeling	17-8
	Playground Noise	17-9
	LIRR Electrical Facility Noise	17-9
	Helicopter Noise Exposure.....	17-10
F.	Future Without the Proposed Actions.....	17-10
G.	Future With the Proposed Actions.....	17-11
H.	Noise Attenuation Measures	17-14
I.	Mechanical Equipment.....	17-16
18:	Public Health	18-1
A.	Introduction	18-1
	Principal Conclusions.....	18-1
B.	Methodology	18-3
	Air Quality	18-3
	Construction Noise.....	18-3
C.	Public Health Assessment	18-3
	Air Quality	18-3
	Construction Noise.....	18-6
	Problem Gaming	18-7
19:	Neighborhood Character	19-1
A.	Introduction	19-1
	Principal Conclusions.....	19-2
B.	Methodology	19-2
	Study Area.....	19-3
C.	Preliminary Assessment.....	19-3
	Defining Features	19-3
	Assessment of Potential to Affect Defining Features of the Neighborhood.....	19-6

Western Rail Yard Modifications

20: Construction	20-1
A. Introduction	20-1
Principal Conclusions	20-1
B. Governmental Coordination and Oversight	20-3
C. Construction Phasing and Schedule	20-5
D. Construction Description	20-6
General Construction Practices	20-6
Description of Construction Activities	20-7
E. Number of Construction Workers and Truck Deliveries	20-9
F. Future Without the Proposed Actions	20-10
G. Construction Effects of the Proposed Actions	20-11
Transportation	20-11
Air Quality	20-18
Noise	20-24
Vibration	20-39
Other Technical Areas	20-41
21: Alternatives	21-1
A. Introduction	21-1
Principal Conclusions	21-2
B. No Action Alternative	21-3
Land Use, Zoning, and Public Policy	21-5
Socioeconomic Conditions	21-7
Community Facilities and Services	21-7
Open Space	21-7
Shadows	21-8
Historic and Cultural Resources	21-8
Urban Design and Visual Resources	21-9
Natural Resources	21-10
Hazardous Materials	21-10
Water and Sewer Infrastructure	21-11
Solid Waste and Sanitation Services	21-11
Energy	21-11
Transportation	21-12
Air Quality	21-13
Greenhouse Gas Emissions and Climate Change	21-14
Noise	21-14
Neighborhood Character	21-15
Construction	21-15
C. No Unmitigated Significant Adverse Impacts Alternative	21-16
Shadows	21-16
Transportation	21-17
Air Quality	21-18
Construction	21-18
22: Mitigation	21-1
A. Introduction	22-1
Principal Conclusions	22-1

B. Shadows.....	22-1
C. Transportation.....	22-2
Transit.....	22-28
Pedestrians.....	22-32
D. Air Quality	22-48
Mobile Sources	22-48
LIRR Platform Ventilation System	22-49
E. Construction Transportation	22-49
F. Construction Noise.....	22-49
23: Unavoidable Adverse Impacts.....	23-1
A. Introduction	23-1
B. Shadows.....	23-1
C. Transportation.....	23-2
D. Air Quality – Mobile Source.....	23-4
E. Construction.....	23-5
Transportation.....	23-5
Noise	23-5
24: Growth-Inducing Aspects of the Proposed Actions	24-1
25: Irreversible and Irretrievable Commitments of Resources.....	25-1

LIST OF APPENDICES

Appendix A: No Build Projects

Appendix B: New York City Waterfront Revitalization Program (WRP)

- B.1: WRP Consistency Assessment Form (CAF)
- B.2: WRP Policy Discussion
- B.3-1: Flood Elevation Worksheet, BFE 11
- B.3-2: Flood Elevation Worksheet, BFE 12

Appendix C: New York City Landmarks Preservation (LPC) Correspondence

Appendix D: Pedestrian Wind Assessment

Appendix E: Transportation

Appendix F: Construction Noise

Appendix G: Mitigation

List of Tables

S-1	Comparison of Action Condition and Proposed Project	S-13
S-2	Comparison of No Action Condition and Alternative Scenario	S-14
S-3	Summary of Significant Adverse Traffic Impacts	S-27
S-4	Summary of Significant Adverse Subway Station Impacts	S-27
S-5	Summary of Significant Adverse Pedestrian Impacts	S-28
1-1	Comparison of No Action Condition and Proposed Project	1-13
1-2	Comparison of No Action Condition and Alternative Scenario	1-14
2-1	Existing Zoning Districts Within the Primary and Secondary Study Areas	2-10
2-2	Development Program Summary – Proposed Project	2-21
2-3	Development Program Summary – Alternative Scenario	2-29
3-1	Primary Job By Industry Sector, 2021	3-7
4-1	Firehouses Serving the Project Area	4-6
5-1	Existing Study Area Population	5-8
5-2	Study Area Open Space Inventory	5-8
5-3	Existing Conditions: Adequacy of Open Space Resources	5-11
5-4	No Action Condition: Publicly Accessible Open Space Changes	5-13
5-5	No Action Condition: Adequacy of Open Space Resources	5-14
5-6	With Action Condition: Adequacy of Open Space Resources	5-18
5-7	With Action Condition Passive Open Space Ratios Summary	5-18
6-1	Open Space Resources Eliminated from Further Analysis	6-6
6-2	Historic Resources Eliminated from Further Analysis	6-6
6-3	Tier 3 Assessment	6-7
6-4	Incremental Shadow Durations	6-12
9-1	Birds Documented During the NYS 2000–2005 Second Breeding Bird Atlas (Block 5751D) and NYS Third Breeding Bird Atlas (Weehawken SE Block)	9-9
9-2	DEP Water Quality Data for Sampling Station N4 (2011–2021)	9-12
9-3	Essential Fish Habitat Designated Species in the Study Area	9-14
11-1	Existing Water Consumption	11-6
11-2	Existing Surface Coverage	11-7
11-3	No Action Condition Water Consumption	11-10
11-4	No Action Condition Surface Coverage	11-11
11-5	With Action Condition Water Consumption	11-13
11-6	With Action Condition Surface Coverage	11-14
11-7	DEP Volume Calculation Matrix: Existing and With Action Condition Volume Comparison	11-15
12-1	No Action Solid Waste Generation on the Development Site	12-5
12-2	Proposed Project Solid Waste Generation on the Development Site	12-6
12-3	Alternative Scenario Solid Waste Generation on the Development Site	12-7
12-4	Comparison of Weekly Solid Waste Generation in Tons on the Development Site	12-7
13-1	No Action Annual Energy Consumption for the Development Site	13-5

Table of Contents

13-2	With Action Annual Energy Consumption for the Development Site	13-6
14-1	Comparison of No Action Condition and Proposed Project	14-2
14-2	Comparison of No Action Condition and Alternative Scenario	14-3
14-3	Summary of Significant Adverse Traffic Impacts	14-4
14-4	Summary of Significant Adverse Subway Station Impacts	14-4
14-5	Summary of Significant Adverse Pedestrian Impacts	14-5
14-6	Summary of High Crash Locations and Recommended Safety Measures	14-6
14-7	Travel Demand Assumptions	14-10
14-7	Travel Demand Assumptions	14-11
14-7	Travel Demand Assumptions	14-12
14-7	Travel Demand Assumptions	14-13
14-8	Gaming Facility Daily Trip Rates and Person Trips Comparison	14-16
14-9	Trip Generation: No Action Condition	14-18
14-10	Trip Generation: Proposed Project	14-21
14-11	Trip Generation: Alternative Scenario	14-26
14-12	Trip Generation: Proposed Project Net Incremental Trips	14-31
14-13	Trip Generation: Alternative Scenario Net Incremental Trips	14-31
14-14a	Traffic Level 2 Screening Analysis Results – Proposed Project	14-39
14-14b	Traffic Level 2 Screening Analysis Results – Alternative Scenario	14-41
14-15	With Action Incremental Subway Trips By Element 34th Street-Hudson Yards Station	14-45
14-16	With Action Incremental Bus Trips	14-46
14-17	Pedestrian Level 2 Screening Analysis Results	14-48
14-18	Level of Service Criteria for Signalized Intersections	14-53
14-19	Level of Service Criteria for Unsignalized Intersections	14-54
14-20	Level of Service Criteria for Subway Station Elements	14-56
14-21	Significant Impact Guidance for Stairs and Passageways	14-56
14-22	Level of Service Criteria for Pedestrian Elements	14-58
14-23	Significant Impact Guidance for Sidewalks	14-59
14-24	Significant Impact Guidance for Corners and Crosswalks	14-60
14-25	Existing Conditions Traffic Analysis Results	14-66
14-26	No Build Projects	14-66
14-27	2031 No Action Condition Traffic Analysis Results	14-69
14-28	Degradation in Lane Group Operations— 2031 No Action Vs. Existing Conditions	14-70
14-29	2031 With Action Condition Traffic Analysis Results Proposed Project	14-72
14-30	2031 With Action Condition—Significant Adverse Traffic Impacts Proposed Project	14-73
14-31	2031 With Action Condition Traffic Analysis Results Alternative Scenario	14-75
14-32	2031 With Action Condition—Significant Adverse Traffic Impacts Alternative Scenario	14-76
14-33	Existing Conditions Subway Station Analysis Results	14-78
14-34	Existing Conditions Subway Line Haul Analysis Results	14-79
14-35	Existing Conditions Bus Line Haul Analysis Results	14-79
14-36	2031 No Action Condition Subway Station Analysis Results	14-80
14-37	2031 No Action Condition Subway Line Haul Analysis Results	14-81
14-38	2031 No Action Condition Bus Line Haul Analysis Results	14-81

Western Rail Yard Modifications

14-39	2031 With Action Condition Subway Station Analysis Results Proposed Project	14-82
14-40	2031 With Action Condition Significant Adverse Subway Station Impacts Proposed Project	14-83
14-41	2031 With Action Condition Subway Line Haul Analysis Results Proposed Project	14-83
14-42	2031 With Action Condition Bus Line Haul Analysis Results Proposed Project	14-84
14-43	2031 With Action Condition Subway Station Analysis Results Alternative Scenario	14-84
14-44	2031 With Action Condition Significant Adverse Subway Station Impacts Alternative Scenario	14-85
14-45	2031 With Action Condition Subway Line Haul Analysis Results Alternative Scenario	14-86
14-46	2031 With Action Condition Bus Line Haul Analysis Results Alternative Scenario	14-86
14-47	Existing Conditions Pedestrian Analysis Results	14-89
14-48	2031 No Action Condition Pedestrian Analysis Results	14-91
14-49	2031 With Action Condition Pedestrian Analysis Results Proposed Project	14-92
14-50	2031 With Action Condition—Significant Adverse Pedestrian Impacts Proposed Project	14-93
14-51	2031 With Action Condition Pedestrian Analysis Results Alternative Scenario	14-95
14-52	2031 With Action Condition—Significant Adverse Pedestrian Impacts Alternative Scenario	14-96
14-53	Crash Summary	14-98
14-54	Existing Weekday and Saturday Off-Street Parking Supply and Utilization Approximately 1/4-Mile Study Area	14-112
14-55	On-Street Parking Regulations	14-112
14-56	Existing and 2031 No Action Conditions Parking Supply and Utilization Approximately 1/4-Mile Study Area	14-114
14-57	Existing and 2031 With Action Conditions – Proposed Project – Parking Supply and Utilization Approximately 1/4-Mile Study Area	14-115
14-58	Existing and 2031 With Action Conditions –Alternative Scenario – Parking Supply and Utilization Approximately 1/4-Mile Study Area	14-116
15-1	National Ambient Air Quality Standards (NAAQS)	15-7
15-2	Maximum Background Pollutant Concentrations for Mobile Source Analysis	15-13
15-3	Mobile Source Analysis Sites	15-13
15-4	Exhaust Stack Parameters and Emission Rates Diesel Engines Potentially Used for Demand Response	15-19
15-5	Maximum Background Pollutant Concentrations	15-20
15-6	Large/Major Source Analysis – 20 Hudson Yards Facility Cogeneration Unit Stack Parameters and Emission Rates	15-22
15-7	Large/Major Source Analysis – 20 Hudson Yards Facility Boiler Stack Parameters and Emission Rates	15-23
15-8	Large/Major Source Analysis – 20 Hudson Yards Facility Engine Generator Stack Parameters and Emission Rates	15-23

15-9	LIRR Platform Ventilation Systems Stack Parameters and Emission Rates	15-25
15-10	Representative Monitored Ambient Air Quality Data	15-26
15-11	Maximum Predicted 8-Hour Average CO No Action Concentrations (ppm).	15-27
15-12	Maximum Predicted 8-Hour CO With Action Concentrations (ppm)—Proposed Project	15-28
15-13	Maximum Predicted 8-Hour CO With Action Concentration (ppm)—Alternative Scenario	15-28
15-14	Maximum Predicted 24-Hour Average PM _{2.5} With Action and Incremental Concentration (µg/m ³) – Proposed Project	15-28
15-15	Maximum Predicted 24-Hour Average PM _{2.5} With Action and Incremental Concentration (µg/m ³)—Alternative Scenario	15-29
15-16	Maximum Predicted Annual Average PM _{2.5} With Action and Incremental Concentration (µg/m ³)—Proposed Project	15-29
15-17	Maximum Predicted Annual Average PM _{2.5} With Action and Incremental Concentration (µg/m ³)—Alternative Scenario	15-29
15-18	Maximum Predicted Concentrations from the Parking Garages—Proposed Project	15-30
15-19	Maximum Predicted Concentrations from the Parking Garages—Alternative Scenario	15-31
15-20	Maximum Predicted Concentrations from the Existing Jacob Javits Convention Center Parking Lot	15-31
15-21	Maximum Modeled Pollutant Concentrations on the Development Site from Demand Response Engines—Proposed Project (µg/m ³)	15-32
15-22	Maximum Modeled Pollutant Concentrations on Off-Site Locations from Demand Response Engines—Proposed Project (µg/m ³)	15-32
15-23	Maximum Modeled Pollutant Concentrations on the Development Site from Demand Response Engines—Alternative Scenario (µg/m ³)	15-33
15-24	Maximum Modeled Pollutant Concentrations on Off-Site Locations from Demand Response Engines—Alternative Scenario (µg/m ³)	15-33
15-25	Maximum Modeled Pollutant Concentrations from 20 Hudson Yards Facility—Proposed Project (µg/m ³)	15-34
15-26	Maximum Modeled Pollutant Concentrations from 20 Hudson Yards Facility—Alternative Scenario (µg/m ³)	15-34
16-1	Global Warming Potential (GWP) for Major GHGs	16-5
16-2	Vehicle Miles Traveled Per Year Future With the Proposed Actions	16-11
16-3	Annual Building Operational Emissions—Proposed Project	16-12
16-4	Annual Building Operational Emissions—Alternative Scenario	16-12
16-5	Annual Mobile Source Emissions—Proposed Project (metric tons CO ₂ e) ...	16-13
16-6	Annual Mobile Source Emissions—Alternative Scenario (metric tons CO ₂ e)	16-13
16-7	Summary of Annual Ghg Emissions Future With the Proposed Actions (metric tons CO ₂ e)	16-14
17-1	Noise Levels of Common Sources	17-3
17-2	Noise Exposure Guidelines for Use in City Environmental Impact Review	17-4
17-3	Required Attenuation Values to Achieve Acceptable Interior Noise Levels....	17-5
17-4	Noise Receptor Locations	17-6
17-5	Measured Noise Levels (in dBA)	17-7
17-6	Playground Boundary Noise L _{eq(1)} Noise Levels (dBA)	17-9

Western Rail Yard Modifications

17-7	2031 No Action Condition Noise Levels (in dBA).....	17-11
17-8	With Action Condition Noise Levels – Proposed Project (in dBA).....	17-12
17-9	With Action Condition Noise Levels – Alternative Scenario (in dBA)	17-13
17-10	CEQR-Required Attenuation At Noise Measurement Locations (in dBA)	17-15
17-11	Minimum Required Attenuation at Development Site (in dBA).....	17-15
20-1	Construction Oversight in New York City.....	20-3
20-2	Anticipated Construction Schedule – Proposed Project.....	20-5
20-3	Anticipated Construction Schedule – Alternative Scenario	20-5
20-4	Average Number of Daily Workers and Trucks by Quarter – Proposed Project	20-9
20-5	Average Number of Daily Workers and Trucks by Quarter – Alternative Scenario	20-10
20-6	Average Number of Daily Workers and Trucks by Quarter – No Action Condition	20-11
20-7	Construction Worker and Truck Trip Temporal Distributions	20-14
20-8	Proposed Project Construction Vehicle Trip Projections.....	20-14
20-9	Alternative Scenario Construction Vehicle Trip Projections	20-15
20-10	No Action Condition Construction Vehicle Trip Projections	20-16
20-11	No Action vs. With Action Construction Trip Comparisons	20-16
20-12	Maximum Background Pollutant Concentrations.....	20-22
20-13	Maximum Pollutant Concentrations – Alternative Scenario	20-23
20-14	Noise Receptors by Location and Land Use	20-28
20-15	Construction Equipment Noise Emissions in dBA	20-32
20-16	Construction Noise Analysis Results in dBA	20-33
20-17	Vibration Source Levels for Construction Equipment.....	20-40
21-1	Comparison of No Action Alternative and Proposed Project	21-5
21-2	Comparison of No Action Alternative and Alternative Scenario.....	21-6
22-1	Summary of Traffic Mitigation Analysis Results.....	22-3
22-2	Proposed Project—Significant Adverse Traffic Impacts.....	22-4
22-3a	Proposed Project—Recommended Traffic Mitigation Measures Weekday Am Peak Hour.....	22-5
22-3b	Proposed Project—Recommended Traffic Mitigation Measures Weekday Midday Peak Hour.....	22-7
22-3c	Proposed Project—Recommended Traffic Mitigation Measures Weekday Pm Peak Hour.....	22-9
22-3d	Proposed Project—Recommended Traffic Mitigation Measures Weekday Evening Peak Hour	22-11
22-3e	Proposed Project—Recommended Traffic Mitigation Measures Saturday Midday/Afternoon Peak Hour	22-12
22-3f	Proposed Project—Recommended Traffic Mitigation Measures Saturday Evening Peak Hour.....	22-14
22-4	Proposed Project—Intersections With Unmitigated Impacts.....	22-16
22-5	Alternative Scenario—Significant Adverse Traffic Impacts	22-17
22-6a	Alternative Scenario—Recommended Traffic Mitigation Measures Weekday Am Peak Hour.....	22-19
22-6b	Alternative Scenario—Recommended Traffic Mitigation Measures Weekday Midday Peak Hour	22-20

22-6c	Alternative Scenario—Recommended Traffic Mitigation Measures Weekday Pm Peak Hour	22-21
22-6d	Alternative Scenario—Recommended Traffic Mitigation Measures Weekday Evening Peak Hour	22-23
22-6e	Alternative Scenario—Recommended Traffic Mitigation Measures Saturday Midday/Afternoon Peak Hour	22-25
22-6f	Alternative Scenario—Recommended Traffic Mitigation Measures Saturday Evening Peak Hour	22-25
22-7	Alternative Scenario—Intersections With Unmitigated Impacts	22-28
22-8	With Action Condition—Summary of Significant Adverse Subway Station Impacts	22-29
22-9a	34th Street – Hudson Yards Stairway Analysis - With Action Mitigation Condition Proposed Project	22-29
22-9b	34th Street – Hudson Yards Escalator Analysis - With Action Mitigation Condition Proposed Project	22-30
22-10a	34th Street – Hudson Yards Stairway Analysis - With Action Mitigation Condition Alternative Scenario	22-30
22-10b	34th Street – Hudson Yards Escalator Analysis - With Action Mitigation Condition Alternative Scenario	22-30
22-11a	Proposed Project—Mitigated Condition: Bus Line-Haul Levels	22-32
22-11b	Alternative Scenario—Mitigated Condition: Bus Line-Haul Levels	22-32
22-12	Proposed Project—Summary of Pedestrian Mitigation Analysis Results	22-33
22-13	Proposed Project—Recommended Pedestrian Mitigation Measures	22-34
22-14	Alternative Scenario—Summary of Pedestrian Mitigation Analysis Results	22-41
22-15	Alternative Scenario—Recommended Pedestrian Mitigation Measures	22-41

List of Figures

following page:

S-1	Project Location	S-3
S-2	Aerial	S-3
S-3	Existing Land Use	S-3
S-4	Existing Zoning	S-3
S-5a	Proposed Project Conceptual Site Plan (Illustrative)	S-5
S-5b	Proposed Project Massing (Illustrative)	S-5
S-6	Proposed West 33rd Street 12th Avenue Connection	S-6
S-7	Proposed Open Space Rendering.....	S-6
S-8a	Alternative Scenario Conceptual Site Plan (Illustrative).....	S-7
S-8b	Alternative Scenario Massing (Illustrative).....	S-7
S-9a	No Action Conceptual Site Plan	S-11
S-9b	No Action Massing	S-11
1-1	Project Location	1-3
1-2	Aerial	1-3
1-3	Existing Land Use	1-3
1-4	Existing Zoning	1-3
1-5a	Proposed Project Conceptual Site Plan (Illustrative)	1-5
1-5b	Proposed Project Massing (Illustrative)	1-5
1-6	Proposed West 33rd Street 12th Avenue Connection	1-6
1-7	Proposed Open Space Rendering.....	1-6
1-8a	Alternative Scenario Conceptual Site Plan (Illustrative).....	1-7
1-8b	Alternative Scenario Massing (Illustrative).....	1-7
1-9a	No Action Conceptual Site Plan	1-11
1-9b	No Action Massing	1-11
2-1	Existing Land Use	2-3
2-2a	Existing Zoning	2-9
2-2b	Special Purpose Zoning	2-11
2-3a	No Action Conceptual Site Plan	2-16
2-3b	No Action Massing	2-16
2-4a	Proposed Project Conceptual Site Plan (Illustrative)	2-19
2-4b	Proposed Project Massing (Illustrative)	2-19
2-5a	Alternative Scenario Conceptual Site Plan (Illustrative).....	2-28
2-5b	Alternative Scenario Massing (Illustrative).....	2-28
3-1	Socioeconomic Study Area	3-6
4-1	Community Facilities and Services.....	4-5
5-1	Walk-to-a-Park Service Area.....	5-5
5-2	Open Space Resources	5-6
5-3	No Action Condition Open Space Site Plan.....	5-12
5-4	With Action Condition Open Space Site Plan	5-14

5-5	Proposed Open Space Rendering	5-14
6-1	Tier 1 and Tier 2 Assessments.....	6-4
6-2	Tier 3 Assessment: December 21	6-8
6-3	Tier 3 Assessment: March 21 / September 21	6-8
6-4	Tier 3 Assessment: May 6 / August 6.....	6-8
6-5	Tier 3 Assessment: June 21.....	6-8
6-6	Detailed Analysis – Proposed Project December 21, 9:30 AM	6-12
6-7	Detailed Analysis – Proposed Project December 21, 10:15 AM	6-12
6-8	Detailed Analysis – Proposed Project December 21, 11 AM	6-12
6-9	Detailed Analysis – Proposed Project December 21, 11:45 AM	6-12
6-10	Detailed Analysis – Proposed Project December 21, 12:30 PM	6-12
6-11	Detailed Analysis – Proposed Project December 21, 1:15 PM	6-12
6-12	Detailed Analysis – Proposed Project December 21, 11:45 AM	6-12
6-13	Detailed Analysis – Proposed Project December 21, 12:30 PM	6-12
6-14	Detailed Analysis – Proposed Project December 21, 1:15 PM	6-12
6-15	Detailed Analysis – Proposed Project December 21, 2 PM	6-12
6-16	Detailed Analysis – Proposed Project March 21 / September 21, 8:30 AM EST (9:30 AM DST).....	6-12
6-17	Detailed Analysis – Proposed Project March 21 / September 21, 9:30 AM EST (10:30 AM DST).....	6-12
6-18	Detailed Analysis – Proposed Project March 21 / September 21, 10:30 AM EST (11:30 AM DST).....	6-12
6-19	Detailed Analysis – Proposed Project March 21 / September 21, 11:30 AM EST (12:30 PM DST).....	6-12
6-20	Detailed Analysis – Proposed Project March 21 / September 21, 12:30 PM EST (1:30 PM DST).....	6-12
6-21	Detailed Analysis – Proposed Project March 21 / September 21, 1:30 PM EST (2:30 PM DST).....	6-12
6-22	Detailed Analysis – Proposed Project March 21 / September 21, 2:30 PM EST (3:30 PM DST).....	6-12
6-23	Detailed Analysis – Proposed Project March 21 / September 21, 4:29 PM EST (5:29 PM DST).....	6-12
6-24	Detailed Analysis – Proposed Project May 6 / August 6, 7:30 AM EST (8:30 AM EDT).....	6-12
6-25	Detailed Analysis – Proposed Project May 6 / August 6, 8:30 AM EST (9:30 AM EDT).....	6-12
6-26	Detailed Analysis – Proposed Project May 6 / August 6, 9:30 AM EST (10:30 AM EDT).....	6-12
6-27	Detailed Analysis – Proposed Project May 6 / August 6, 10:30 AM EST (11:30 AM EDT).....	6-12
6-28	Detailed Analysis – Proposed Project May 6 / August 6, 11:30 AM EST (12:30 PM EDT).....	6-12
6-29	Detailed Analysis – Proposed Project May 6 / August 6, 12:30 PM EST (1:30 PM EDT).....	6-12
6-30	Detailed Analysis – Proposed Project May 6 / August 6, 2:30 PM EST (3:30 PM EDT).....	6-12
6-31	Detailed Analysis – Proposed Project May 6 / August 6, 3:30 PM EST (4:30 PM EDT).....	6-12

Western Rail Yard Modifications

6-32	Detailed Analysis – Proposed Project May 6 / August 6, 4:30 PM EST (5:30 PM EDT).....	6-12
6-33	Detailed Analysis – Proposed Project May 6 / August 6, 5:18 PM EST (6:18 PM EDT).....	6-12
6-34	Detailed Analysis – Proposed Project June 21, 7:30 AM EST (8:30 AM EDT).....	6-12
6-35	Detailed Analysis – Proposed Project June 21, 8:30 AM EST (9:30 AM EDT).....	6-12
6-36	Detailed Analysis – Proposed Project June 21, 9:30 AM EST (10:30 AM EDT).....	6-12
6-37	Detailed Analysis – Proposed Project June 21, 10:30 AM EST (11:30 AM EDT).....	6-12
6-38	Detailed Analysis – Proposed Project June 21, 11:30 AM EST (12:30 PM EDT).....	6-12
6-39	Detailed Analysis – Proposed Project June 21, 12:30 PM EST (1:30 PM EDT).....	6-12
6-40	Detailed Analysis – Proposed Project June 21, 2:00 PM EST (3:00 PM EDT).....	6-12
6-41	Detailed Analysis – Proposed Project June 21, 3:00 PM EST (4:00 PM EDT).....	6-12
6-42	Detailed Analysis – Proposed Project June 21, 4:00 PM EST (5:00 PM EDT).....	6-12
6-43	Detailed Analysis – Proposed Project June 21, 5:00 PM EST (6:00 PM EDT).....	6-12
6-44	Detailed Analysis – Proposed Project June 21, 6:00 PM EST (7:00 PM EDT).....	6-12
7-1	Historic Resources.....	7-4
7-2	Resources on Development Site.....	7-5
7-3	Architectural Resources on Development Site and in Study Area.....	7-5
7-4	Architectural Resources in Study Area.....	7-5
7-5	Architectural Resources in Study Area.....	7-5
7-6	Architectural Resources in Study Area.....	7-7
8-1	Project Location.....	8-5
8-2	Aerial.....	8-5
8-3	Views from Hudson River Park.....	8-6
8-4	Views from Hudson River Park and Twelfth Avenue.....	8-6
8-5	Views from Hudson River Park and Twelfth Avenue.....	8-6
8-6	Views from the High Line.....	8-6
8-7	Views from the High Line and Eleventh Avenue.....	8-6
8-8	Views from the High Line and Eleventh Avenue.....	8-6
8-9	Views from Eleventh Avenue.....	8-6
8-10	Views from Eleventh Avenue.....	8-6
8-11	Views from Eleventh Avenue.....	8-6
8-12	Views from Eleventh Avenue.....	8-6
8-13	Views from Eleventh Avenue.....	8-6
8-14	Views from Hudson Boulevard.....	8-6
8-15	Views from Tenth Avenue.....	8-6
8-16	Views from Tenth Avenue.....	8-6

Table of Contents

8-17	Views from Tenth Avenue	8-6
8-18	Views from Tenth Avenue and the High Line	8-6
8-19	Views from Tenth Avenue and the High Line	8-6
8-20	Views from Tenth Avenue	8-6
8-21	Views from east of Tenth Avenue	8-6
8-22	Views from Ninth Avenue	8-6
8-23	Maximum Building Envelope Sections – Proposed Project	8-23
8-24	Maximum Building Envelope Sections – Alternative Scenario	8-23
8-25a	Neighborhood Character Diagrams – Proposed Project West 33rd Street	8-28
8-25b	Neighborhood Character Diagrams – Proposed Project Eleventh Avenue	8-28
8-25c	Neighborhood Character Diagrams – Proposed Project Twelfth Avenue	8-28
8-25d	Neighborhood Character Diagrams – Proposed Project / Alternative Scenario West 30th Street	8-28
8-26a	Neighborhood Character Diagrams – Alternative Scenario West 33rd Street	8-28
8-26b	Neighborhood Character Diagrams – Alternative Scenario Eleventh Avenue	8-28
8-26c	Neighborhood Character Diagrams – Alternative Scenario Twelfth Avenue ..	8-28
8-27a	New Development in Study Area No Action Condition	8-19
8-27b	New Development in Study Area Proposed Project	8-28
8-27c	New Development in Study Area Alternative Scenario	8-28
8-27d	Comparison Rendering View from West 35th Street and Eleventh Avenue...	8-28
8-27e	Comparison Rendering View from Hudson River Park near West 38th Street	8-28
8-27f	Comparison Rendering View from Hudson River Park near West 30th Street	8-28
8-27g	Comparison Rendering View from Pier 66	8-28
8-27h	Comparison Rendering View from Eleventh Avenue near West 29th Street..	8-28
8-27i	Comparison Rendering View from Hudson River Park near West 33rd Street	8-28
8-28	Comparison Rendering View from West 35th Street and Eleventh Avenue...	8-29
8-29	Comparison Rendering View from Hudson River Park near West 38th Street	8-29
8-30	Comparison Rendering View from Hudson River Park near West 30th Street	8-29
8-31	Comparison Rendering View from Pier 66	8-29
8-32	Comparison Rendering View from Eleventh Avenue near West 29th Street..	8-29
8-33	Comparison Rendering View from Hudson River Park near West 33rd Street	8-29
9-1	Natural Resources Study Area	9-2
9-2	FEMA Preliminary FIRM 2015.....	9-6
9-3	NWI Wetlands	9-6
9-4	NYSDEC Tidal Wetlands	9-6
11-1a	Proposed Project Preliminary Site Connections	11-12
11-1b	Proposed Project Preliminary Site Connections	11-14
14-1	Proposed Project Conceptual Site Plan (Illustrative)	14-1
14-2	Alternative Scenario Conceptual Site Plan (Illustrative).....	14-1
14-3	No Action Conceptual Site Plan	14-1
14-4	Study Area Transit	14-32
14-5	Traffic Analysis Locations	14-38

Western Rail Yard Modifications

14-6	Pedestrian Analysis Locations	14-47
14-7a	Existing Conditions Traffic Intersection Level of Service Weekday AM Peak Hour	14-65
14-7b	Existing Conditions Traffic Intersection Level of Service Weekday Midday Peak Hour	14-65
14-7c	Existing Conditions Traffic Intersection Level of Service Weekday PM Peak Hour	14-65
14-7d	Existing Conditions Traffic Intersection Level of Service Weekday Evening Peak Hour	14-65
14-7e	Existing Conditions Traffic Intersection Level of Service Saturday Midday / Afternoon Peak Hour	14-65
14-7f	Existing Conditions Traffic Intersection Level of Service Saturday Evening Peak Hour	14-65
14-8	No Builds	14-65
14-9a	2031 No Action Condition Traffic Intersection Level of Service Weekday AM Peak Hour	14-69
14-9b	2031 No Action Condition Traffic Intersection Level of Service Weekday Midday Peak Hour	14-69
14-9c	2031 No Action Condition Traffic Intersection Level of Service Weekday PM Peak Hour	14-69
14-9d	2031 No Action Condition Traffic Intersection Level of Service Weekday Evening Peak Hour	14-69
14-9e	2031 No Action Condition Traffic Intersection Level of Service Saturday Midday / Afternoon Peak Hour	14-69
14-9f	2031 No Action Condition Traffic Intersection Level of Service Saturday Evening Peak Hour	14-69
14-10a	2031 With Action Condition Proposed Project Traffic Intersection Level of Service Weekday AM Peak Hour	14-73
14-10b	2031 With Action Condition Proposed Project Traffic Intersection Level of Service Weekday Midday Peak Hour	14-73
14-10c	2031 With Action Condition Proposed Project Traffic Intersection Level of Service Weekday PM Peak Hour	14-73
14-10d	2031 With Action Condition Proposed Project Traffic Intersection Level of Service Weekday Evening Peak Hour	14-73
14-10e	2031 With Action Condition Proposed Project Traffic Intersection Level of Service Saturday Midday / Afternoon Peak Hour	14-73
14-10f	2031 With Action Condition Proposed Project Traffic Intersection Level of Service Saturday Evening Peak Hour	14-73
14-11a	2031 With Action Condition Alternative Scenario Traffic Intersection Level of Service Weekday AM Peak Hour	14-75
14-11b	2031 With Action Condition Alternative Scenario Traffic Intersection Level of Service Weekday Midday Peak Hour	14-75
14-11c	2031 With Action Condition Alternative Scenario Traffic Intersection Level of Service Weekday PM Peak Hour	14-75
14-11d	2031 With Action Condition Alternative Scenario Traffic Intersection Level of Service Weekday Evening Peak Hour	14-75
14-11e	2031 With Action Condition Alternative Scenario Traffic Intersection Level of Service Saturday Midday / Afternoon Peak Hour	14-75

14-11f 2031 With Action Condition Alternative Scenario Traffic Intersection Level of Service Saturday Evening Peak Hour	14-75
14-12a Existing Conditions Pedestrian Elements Level of Service Weekday AM Peak Hour	14-89
14-12b Existing Conditions Pedestrian Elements Level of Service Weekday Midday Peak Hour	14-89
14-12c Existing Conditions Pedestrian Elements Level of Service Weekday PM Peak Hour	14-89
14-12d Existing Conditions Pedestrian Elements Level of Service Weekday Evening Peak Hour	14-89
14-12e Existing Conditions Pedestrian Elements Level of Service Saturday Midday / Afternoon Peak Hour	14-89
14-12f Existing Conditions Pedestrian Elements Level of Service Saturday Evening Peak Hour	14-89
14-13a 2031 No Action Condition Pedestrian Elements Level of Service Weekday AM Peak Hour	14-91
14-13b 2031 No Action Condition Pedestrian Elements Level of Service Weekday Midday Peak Hour	14-91
14-13c 2031 No Action Condition Pedestrian Elements Level of Service Weekday PM Peak Hour	14-91
14-13d 2031 No Action Condition Pedestrian Elements Level of Service Weekday Evening Peak Hour	14-91
14-13e 2031 No Action Condition Pedestrian Elements Level of Service Saturday Midday / Afternoon Peak Hour	14-91
14-13f 2031 No Action Condition Pedestrian Elements Level of Service Saturday Evening Peak Hour	14-91
14-14a 2031 With Action Condition Proposed Project Pedestrian Elements Level of Service Weekday AM Peak Hour	14-92
14-14b 2031 With Action Condition Proposed Project Pedestrian Elements Level of Service Weekday Midday Peak Hour	14-92
14-14c 2031 With Action Condition Proposed Project Pedestrian Elements Level of Service Weekday PM Peak Hour	14-92
14-14d 2031 With Action Condition Proposed Project Pedestrian Elements Level of Service Weekday Evening Peak Hour	14-92
14-14e 2031 With Action Condition Proposed Project Pedestrian Elements Level of Service Saturday Midday / Afternoon Peak Hour	14-92
14-14f 2031 With Action Condition Proposed Project Pedestrian Elements Level of Service Saturday Evening Peak Hour	14-92
14-15a 2031 With Action Condition Alternative Scenario Pedestrian Elements Level of Service Weekday AM Peak Hour	14-95
14-15b 2031 With Action Condition Alternative Scenario Pedestrian Elements Level of Service Weekday Midday Peak Hour	14-95
14-15c 2031 With Action Condition Alternative Scenario Pedestrian Elements Level of Service Weekday PM Peak Hour	14-95
14-15d 2031 With Action Condition Alternative Scenario Pedestrian Elements Level of Service Weekday Evening Peak Hour	14-95
14-15e 2031 With Action Condition Alternative Scenario Pedestrian Elements Level of Service Saturday Midday / Afternoon Peak Hour	14-95

Western Rail Yard Modifications

14-15f 2031 With Action Condition Alternative Scenario Pedestrian Elements Level of
Service Saturday Evening Peak Hour 14-95

14-16 Off-Street Parking Facilities..... 14-111

14-17 On-Street Parking Regulations..... 14-112

15-1 Intersections for the Air Quality Microscale Analysis 15-13

17-1 Noise Receptor Locations 17-6

19-1 Neighborhood Character 19-3

20-1 Construction Noise Receptors..... 20-27

20-2 Significant Adverse Construction Noise Impacts 20-32

*